




Wur-Link for
POTS Replacement Gateway Kit



Wur-Link
(for Wur-Com)



Wur-Link LiftGate
(for Wur-Com)

ELEVATOR COMMUNICATION SIMPLIFIED AND SECURED

Wurtec's **WUR-LINK®** family of products delivers a streamlined, all-in-one cellular solution for elevator emergency communication systems. Whether you're eliminating costly landlines, modernizing to meet code with WUR-COM, or supporting multiple cars from a single location, WUR-LINK ensures reliable performance, simplified installation, and future-ready connectivity.

All cellular models operate on 4G or 5G networks (depending on network) for crystal-clear communication and compliant emergency performance.

THREE OPTIONS. TOTAL COVERAGE

Wur-Link for POTS Replacement

Keep your elevators connected and compliant with the WUR-LINK® POTS Replacement Gateway Kit featuring the 2N Easygate IP. This LTE-ready solution replaces obsolete 2G/3G networks and disappearing landlines, ensuring dependable voice communication for analogue emergency phones.

Wur-Link (for Wur-Com)

A centralized hub for WUR-COM systems, the standard Wur-Link connects up to four elevator cars and supports full video, audio, and chat communication. With U.S. and Canadian code compliance and flexible network options—including cellular and building-supplied WAN—it's built for maximum versatility.

Wur-Link Liftgate (for Wur-Com)

This plug-and-play cellular solution simplifies WUR-COM installations by replacing the need for additional routers, switches, and converters. It provides code-compliant audio, video, and text communication over LTE—ideal for simplex or duplex configurations on a per-car basis.



11-702-PR
POTS Replacement Gateway Kit



11-702-PREN
POTS Replacement Gateway Kit
with Enclosure

PRODUCT DESCRIPTION

Future-proof your elevator emergency communication. Reliable. Flexible. Ready for 4G.

With landlines disappearing and 2G/3G networks shutting down, the **WUR-LINK® POTS Replacement Gateway Kit** featuring the **2N Easygate IP** keeps your elevator emergency phones connected and compliant.

Connect your analogue communicator to the gateway for dependable voice communication with your operations center.

KEY FEATURES

- 2N Easygate IP Gateway – Seamlessly transition from 2G/3G to 4G
- Reliable DTMF Transmission – Ensure consistent and accurate signal delivery
- Flexible Options – Order as a standalone gateway or pre-mounted in a protective enclosure
- Waterproof Design – Rated waterproof when mounted vertically
- 10-Hour Battery Backup – Keeps phones active during power outages
- Two-Way Calling – Dedicated elevator phone line for emergencies
- Full Compatibility – Works with Wurtec's complete S3 line of ADA phones and intercoms



Wur-Link
(For Wur-Com)



Part No. 22041579
Omnidirectional 10m (33') Antenna
(Available if Required, Sold Separately)

WUR-LINK (FOR WUR-COM)

Centralized Power & Communication for WUR-COM

Wur-Link is a versatile, centralized network and power hub that supports up to four elevator cars from one unit - whether connecting Wur-Com car stations or lobby stations. Wur-Link provides Wur-Com with full video, audio, and chat capabilities, and is code compliant in both the U.S. and Canada.

It provides the ultimate flexibility with multiple options:


- U.S. Cellular: Verizon + WAN Failover
- Canada: Rogers + WAN Failover
- Building Network: Ethernet-based

KEY FEATURES

- Supports up to 4 elevator cars
- Full WUR-COM compatibility (car & lobby stations)
- Dual SIM for cellular failover (cellular options only)
- 4.5-hour backup power
- WAN fallback (building network support)
- Rugged, industrial-grade enclosure

SPECIFICATIONS

- Power Input: 120 VAC
- Battery: 12V 15Ah (4.5 hour runtime)
- Dimensions: 8.5" x 9.75" x 1.75"
- Weight: 3.32 lbs
- Connections
 - (4) 2-Wire Shielded Pair Ports - Car Stations
 - (3) RJ45 Ports—Lobby Station/Machine Room Stations



Wur-Link LiftGate
(For Wur-Com)



Part No. 22041579
Omnidirectional 10m (33') Antenna
(Available if Required, Sold Separately)

WUR-LINK LIFTGATE (FOR WUR-COM)

Plug-and-Play Communication for WUR-COM

The WUR-LINK Liftgate is designed for fast, flexible deployment in simplex or duplex **WUR-COM** installations.

With a compact footprint and built-in cellular hardware and battery backup, Liftgate eliminates the need for external routers, switches, and converters.

KEY FEATURES

- Provides audio, video & text communication to Wur-Com devices
- 4.5-hour battery backup
- Plug-and-play integration
- Code compliant in U.S.
- Supports up to 2 elevator cars
- Compact, rugged housing
- Dual SIM & WAN failover

Product Name	Part Numbers	Country	Network	Hardware	Aux Network Equipment Required
2N LiftGate with Verizon Sim Card	11-702-LG-VER	US	Verizon	Liftgate	No

Feature	Wur-Link for POTS Replacement Gateway Kit	Wur-Link (for Wur-Com)	Wur-Link Liftgate (for Wur-Com)
Cellular-Based Communication (4G/5G)	Yes	Yes	Yes
Emergency Audio	Yes	Yes	Yes
Video & Chat	No	Yes	Yes
Built-In Backup Power (approximate)	10 Hours	4.5 Hours	4.5 Hours
Dual SIM & WAN Failover	No	Yes	Yes
WAN / Building Network Connection	No	Yes	Yes
Max Elevator Cars Supported	8	4	2
Installation Location	Machine Room	Machine Room	Machine Room
Enclosure	Durable (optional)	Industrial Strength	Compact, Rugged
Canadian Compliant	No	Yes	No