


WUR-COM® MULTIMEDIA COMMUNICATOR

The **WUR-COM® Multimedia Communicator** from Wurtec meets the requirements of ASME A17.1-2019/CSA B44:19, Section 2.27.1.1 and ICC IBC-2018, Section 3001.2, specifically providing:

- Two-way audio communications between passengers and authorized personnel
- Text display for hearing-impaired passengers
- Standardized chat messages from emergency responders and authorized personnel
- Video monitoring of the complete cab floor
- Optional POTS audio available for WUR-COM

A single-board computer running specialized software processes communications and conveys them to designated stations or devices via an Internet or LAN connection.

The WUR-COM is simple to install, configurable, and provides cost-effective code compliance.

	Part No.	Description	Audio	Text/Video
		Car Stations		
	11-983-TS	WUR-COM Plus Car Station, 4.3" Screen, Grill Mount	WAN	WAN
	11-981-SS	WUR-COM Plus Car Station, 4.3" Screen, Flush Mount.	WAN	WAN

	Part No.	Description	Audio	Text/Video
		Lobby Stations		
	11-988-SS1	WUR-COM Lobby Station, SS	WAN	WAN
	11-988-HSS	WUR-COM Lobby Station Handset, Flush Mount, SS	WAN	WAN
	11-988-HSR	WUR-COM Lobby Station Handset, Red Powder Coat Box	WAN	WAN
		Cameras		
	11-999	WUR-COM Camera, Corner Mount, SS	-	WAN
	11-999D	WUR-COM Dome Camera	-	WAN
	11-10069654	COP Mounted Camera	-	WAN

Revision: 05 | 07/2024 | Document No.: Specifications_WUR-COM

SUBCOMPONENTS

	Part No.	Description
	10071307	Gigabit USB Type C Active PoE Splitter 48V to 5V IEEE802.3af
	Z C4L6400 A	2N® 2Wire Ethernet Adapter
	10057515-10	Ethernet Cable, DK-1511-005/BL, Cable Mod 8P8C Plug-Plug 5'
	BEL1247-1000-ND	2 (1 Pair Twisted) Conductor Multi-Conductor Cable Black 22 AWG Foil (1000' Spool)
	PSAD65-18-B1	65 W, Single Output, 48 VDC at 1.35 A Desktop AC-DC Power Supply
	P-06B-EN	6' NEMA 5-15P North America 3-Pin Plug and Power Cord